

Apparent

# Tank Mixing Guide

1/3



## INSTRUCTIONS:

1

ALWAYS READ THE LABEL INSTRUCTIONS AND USE ONLY AS DIRECTED.

2

FILL THE SPRAY TANK TO AT LEAST 70% FULL. RUN AGITATION.

3

ADD ANY WATER CONDITIONERS.  
AMMONIUM SULPHATE, BUFFER 700.

4

ADD A WATER SOLUBLE GRANULE (WSG) OR WATER DISPERSIBLE GRANULE (WDG).  
ALLOW AT LEAST 10 MINUTES FOR COMPLETE DISPERSION.

5

ADD A SUSPENSION CONCENTRATE (SC).

6

ADD A EMULSIFIABLE CONCENTRATE (EC).

7

ADD A SOLUBLE LIQUID (SL).

8

FILL THE SPRAY TANK TO NEARLY FULL.

9

ADD A (SL-G) GLYPHOSATE.

10

ADD AN ADJUVANT AND FILL THE TANK.

# Tank Mixing Guide

## WATER DISPERSIBLE GRANULE (WG)

PRODUCT	ACTIVE INGREDIENT
APPARENT BOW SAW 600	600g/kg metsulfuron methyl
APPARENT DIURON 900	900g/kg diuron
APPARENT DISTURB 875	875g/kg terbuthylazine
APPARENT TERRITORY 500 WG	500g/kg flumioxazin

## EMULSIFIABLE CONCENTRATE (EC)

PRODUCT	ACTIVE INGREDIENT
APPARENT ANNIHILATE 100 DUO	100g/L Alpha cypermethrin
APPARENT AXEMAN 600	600g/L Triclopyr present as the butoxyethyl ester
APPARENT BEAMER	250g/L Bromoxynil present as the octanoate +25g/L diflufenican
APPARENT BROMOXYNIL + MCPA	200g/L Bromoxynil present as the n-octanoyl ester + 200g/L MCPA present as the ethylhexyl ester
APPARENT BROMOXYNIL 200	200g/L Bromoxynil as the n-octanoyl ester
APPARENT CHECK MATE 500	500g/L Triallate
APPARENT CLETHODIM 360	360g/L Clethodim
APPARENT DINGO 500	500g/L Chlorpyrifos
APPARENT FIREBALL 400	400g/L Fluroxypyr present as the methylheptyl ester
APPARENT LEFT HOOK	960g/L S-Metolachlor
APPARENT MCPA 570 LVE	570g/L MCPA as 2- ethylhexyl ester
APPARENT OXYFLUORFEN 240	240g/L Oxyfluorfen
APPARENT PANTHER	25g/L Diflufenican + 250g/L MCPA
APPARENT PENDIMETHALIN 440	440g/L Pendimethalin
APPARENT PROPICONAZOLE 250 EC	250g/L Propiconazole
APPARENT PURGE 450 IP A	450g/L 2,4-D present as the isopropylamine salt
APPARENT SHAFT	100g/L Pinoxaden + 25g/L Cloquintocet-Mexyl
APPARENT TRIFLURALIN 480	480g/L Trifluralin
APPARENT WOODY	300g/L Triclopyr + 100g/L Picloram
iO FENIROTHION	1000g/L Fenitrothion

# Tank Mixing Guide

## SUSPENSION CONCENTRATE (SC)

PRODUCT	ACTIVE INGREDIENT
APPARENT ALPHA OMEGA 300 SC	300g/L Alpha-cypermethrin
APPARENT SWOOSH	125g/L Epoxiconazole

## SOLUBLE LIQUID (SL)

PRODUCT	ACTIVE INGREDIENT
APPARENT CLOPYRALID 750 SG	750 g/L clopyralid present as potassium salt
APPARENT DICAMBA 500	500g/L dicamba present as the dimethylamine
APPARENT HARD BALL 700	700g/L 2,4-D present as dimethylamine and diethanolamine salts
APPARENT MACHETE 500	500g/L 2,4-DB as the dimethylamine salt
APPARENT MCPA 750	750g/L MCPA present as the dimethylamine salt
APPARENT PARAQUAT 250	250g/L paraquat present as paraquat dichloride
APPARENT RAVAGE	340g/L MCPA present as the dimethylamine salt + 80g/L dicamba present as the dimethylamine salt
APPARENT TROLLER	250g/L amitrole + 220g/L ammonium thiocyanate
APPARENT WEEDY SEEDY 250	135g/L paraquat + 115g/L diquat

## SOLUBLE LIQUID - GLYPHOSATE (SL-G)

PRODUCT	ACTIVE INGREDIENT
APPARENT CONCUSSION 540 K	540g/L glyphosate present as potassium salt
APPARENT GLYPHOSATE 450	450g/L glyphosate present as the isopropylamine salt
APPARENT GLYPHOSATE GREEN 360	360g/L glyphosate present as isopropylamine salt

## ADJUVANTS

PRODUCT	ACTIVE INGREDIENT
APPARENT AMS HERBICIDE	417g/L ammonium sulphate
APPARENT BUFFER 700	350g/L soyal phospholipids and 350g/L propionic acid
APPARENT GLYASSIST 1040	1040g/L Octyl phenol ethoxylate
APPARENT MACH TWO	Methyl & Ethyl Esters of free fatty acids from Canola Oil 704g/L
APPARENT PARAFFINIC OIL	582g/L Paraffinic Oil + 120g/L Nonyl Phenol Ethoxylate + 120g/L Alcohol Ethoxylate
APPARENT STIMULATE	Non-ionic surfactant (Alcohols, C9-11, ethoxylated propoxylated)
APPARENT WETTER 1000	1000g/L Nonionic Alcohol Ethoxylates