

POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Apparent



Deadlock

FUNGAL SEED DRESSING

ACTIVE CONSTITUENTS: 360g/L THIRAM
200g/L THIABENDAZOLE

GROUP M3 | 1 FUNGICIDE

Controls seed-borne and seedling root pathogens of peas, chickpeas, lentils, faba beans and vetch as specified in the Directions for Use table



AI RR APPARENT Pty Ltd

15/16 Princes Street, Newport NSW 2106

P 03 5820 8400 | E enquiries@apparentag.com.au | www.apparentag.com.au

DIRECTIONS FOR USE (ALL STATES)

RESTRAINT: DO NOT mix this product with legume Rhizobium inoculant.

SEED TYPE	DISEASE	RATE	CRITICAL COMMENTS
Peas Field and Garden	Black Spot (Lead and Pod Spot and Collar Rot) (<i>Mycosphaerella pinodes</i> , <i>Ascochyta pisi</i> , <i>Phoma medicaginis</i> , var. <i>pinodella</i>) Seedling Root Rots (<i>Fusarium</i> spp., <i>Pythium</i> spp., * <i>Macrophomina phaseolina</i>)	200mL per 100kg of seed	Peas, lentils, faba beans, vetch: This liquid seed dressing may be diluted with 1 part water to 2 parts product. Apply 300mL of diluted mixture to 100kg of seed. Chickpeas: In the case of chickpea seed, mix 8 parts of water to 2 parts of product. Apply 1L of diluted mixture to 100kg of chickpea seed. Seed must be treated uniformly using correctly calibrated seed treatment equipment. Secondary mixing of treated seed (e.g. in an auger) is important to obtain even coverage. In the case of <i>Ascochyta</i> (peas, chickpeas and lentils) and <i>Botrytis</i> (chickpeas), Apparent Deadlock Fungal Seed Dressing will provide control of seed borne infection but follow-up foliar fungicide sprays registered for this purpose will be required to control field infection from other sources.
Chickpeas	<i>Ascochyta</i> Blight (<i>Ascochyta rabiei</i>), <i>Botrytis</i> Seed Rot (<i>Botrytis cinerea</i>), Seedling Root Rots (<i>Fusarium</i> spp., <i>Pythium</i> spp.)		
Lentils	<i>Ascochyta</i> Blight (<i>Ascochyta lentis</i>), Seedling Root Rots (<i>Fusarium</i> spp., <i>Pythium</i> spp.)		
Faba Beans, Vetch	Seedling Root Rots (<i>Fusarium</i> spp., <i>Pythium</i> spp.)		

*This disease is not known to occur in WA.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS

This product does not adversely affect germination, however when Rhizobium cultures (inoculum) are also added to seed, the viability of the inoculum may be reduced. Always apply the fungicide first and allow to dry. Apply the inoculum immediately prior to sowing. Seed treatment will control Black Spot and *Fusarium* spp., *Ascochyta* spp. and *Botrytis cinerea* pathogens already present in pea seed. Treatment will also give young pea plants early protection from any external infection from Black Spot.

Seed treatment can alter seed flow characteristics. The drill should be recalibrated using treated seed prior to seeding. Equipment used for applying this product can be cleaned out with water. All seed that has been stored may lose viability especially if it becomes hot or damp. Apparent Deadlock Fungal Seed Dressing has no adverse effect on seed viability or seedling vigour for up to 15 months after treatment, but all seed should be tested for germination in the year it is used to ensure that there is sufficient viable seed sown to establish the optimum seedling density. Apparent Deadlock Fungal Seed Dressing treated seed carried over from previous seasons may not provide adequate control of soil borne pathogens (eg. *Pythium* spp. and *Fusarium* spp.). Treated seed is to be used only for sowing.

MIXING

Shake well before use. Add water and product to the applicator tank and mix well. Maintain agitation during use. Where the diluted product has been permitted to stand for an extended period, the mixture should be again

agitated well. DO NOT permit this product to dry-out in application equipment as flaking may occur and contribute to nozzle blockages.

FUNGICIDE RESISTANCE WARNING

GROUP M3 | 1 FUNGICIDE

Apparent Deadlock Fungal Seed Dressing is a combination of a benzimidazole and a Multi-site Activity fungicide. For fungicide resistance management Apparent Deadlock Fungal Seed Dressing is both a Group M3 and a Group 1 fungicide. Some naturally occurring individual fungi resistant to Apparent Deadlock Fungal Seed Dressing and other Group M3 and/or Group 1 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by Apparent Deadlock Fungal Seed Dressing and other Group M3 and/or Group 1 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Apparent Pty Ltd accepts no liability for any losses that may result from the failure of Apparent Deadlock Fungal Seed Dressing to control resistant fungi.

PROTECTION OF LIVESTOCK

DO NOT allow treated seed to contaminate grain intended for animal consumption. Treated seed is not to be used as food for poultry or any other animal.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT feed treated seed or otherwise expose to wild or domestic birds. DO NOT contaminate dams, rivers, streams, ponds, watercourses and

drains with Apparent Deadlock Fungal Seed Dressing, with the used containers, or bags or other containers which have held treated seed.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. DO NOT repack or use container for other purposes. When treated seed is stored it must be stored apart from other seed and bags or containers must be clearly marked indicating the contents have been treated with Apparent Deadlock Fungal Seed Dressing. Treated seed is not to be used for human consumption. Bags or other containers which have held treated seed are not to be used for any other purpose.

For Non-Refillable Containers: Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or a designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

For Refillable Containers: Storage must be secure so that contents cannot be tampered with. All locks and/or seals must be in order. If locks or seals are broken prior to initial use,

then the integrity of this product cannot be assured. If this occurs Apparent Pty Ltd should be advised immediately. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

Harmful if absorbed by skin contact or swallowed. May irritate the eyes, nose, throat and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. DO NOT inhale spray mist. When opening the container, preparing and using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length PVC gloves and face shield or goggles. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766. Avoid giving alcohol.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which can be obtained from the supplier. **CONDITIONS OF SALE** The use of Apparent Deadlock Fungal Seed Dressing being beyond the control of the manufacturer no warranty expressed or implied is given by Apparent Pty Ltd regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Apparent Pty Ltd accepts no responsibility for any consequence whatsoever resulting from the use of this product.

Additional information required under the Globally Harmonised System (GHS) classification of the substance/mixture:

May cause an allergic skin reaction. Harmful if inhaled. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

Do not breathe mist, vapours or spray. Wash hands, arms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Rinse mouth. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and Wash before reuse. Wash contaminated clothing before reuse. Collect Spillage.

APVMA Approval No: 91373/132014

Batch No:

Date of Manufacture:

Scan QR code to view booklet on mobile device 279

