DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Procymidone 500

FUNGICIDE

ACTIVE CONSTITUENT: 500g/L PROCYMIDONE

GROUP 2 FUNGICIDE

For the control of certain fungal diseases on various crops as specified in the Directions for Use.

IMPORTANT: Read the attached booklet before use.











20

CONTENTS

LITRES

AIRR APPARENT Pty Ltd



Apparent Procymidone 500 FUNGICIDE

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, feedstuffs, seed and fertilisers. Store in the closed, original container in a dry, cool, well ventilated area, DO NOT store for prolonged periods in direct sunlight.

For Non-Refillable Containers: Triple-rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. DO NOT burn empty containers or product.

For Refillable Containers: Storage must be secure so that contents cannot be tampered with. All locks and/or seals must be in order. If locks or seals are broken prior to initial use then the integrity of this product cannot be assured. If this occurs AIRR Apparent Pty Ltd should be advised immediately. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

Treated Seed and Containers of Treated Seed: When treated seed is stored it should be kept apart from other grain and the bags or containers should be clearly marked to indicate the contents have been treated with this product. Bags which have held treated seed are not to be used for any other purpose. Dispose of spent dip in an authorised dip disposal facility. If

an authorised dip disposal facility is not available, the spent dip should be evenly spread over flat land not exceeding 20.000L/ha. The disposal site must be dedicated, limed and adequately bunded (soil at least 15cm high), DO NOT dispose unwanted spent dip in the same place for at least 420 days, as repeated depositions in one location may, over time, create a contaminated site. Unused or spent dips should be disposed of carefully to avoid contamination of wetlands or watercourses.

SAFETY DIRECTIONS

May irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing the product for use, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow length chemical resistant gloves. When using the product, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126, New Zealand 0800 764 766.

SAFTEY DATA SHEET

Additional information is listed in the Safety Data Sheet which can be obtained from the supplier.

CONDITIONS OF SALE

The use of Apparent Procymidone 500 Fungicide being beyond the control of the manufacturer no warranty expressed or implied is given by AIRR Apparent Pty Ltd regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and AIRR Apparent Pty Ltd accepts with no responsibility for any consequences whatsoever resulting from the use of this product.



Additional information required under the Globally Harmonised System (GHS) classification of the substance/mixture:

IF exposed or concerned: Get medical advice/ attention.

APVMA Approval No: 69208/137581

Batch No:

Date of Manufacture:



Scan OR code to view booklet or mobile device