


DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Apparent



Methomyl 225


INSECTICIDE

ACTIVE CONSTITUENT: 225g/L METHOMYL
(an anti-cholinesterase compound)

SOLVENT: 593g/L METHANOL

GROUP **1A** INSECTICIDE

For the control of insect pests in various crops as specified in the Directions for Use.
IMPORTANT: Read the attached booklet before use.



AIRR APPARENT Pty Ltd

15/16 Princes Street, Newport NSW 2106 | P 03 5820 8400 | E enquiries@apparentag.com.au | www.apparentag.com.au

Apparent  **Methomyl 225**
Insecticide

STORAGE AND DISPOSAL
KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAMES.

Store in the closed, original container in a dry, cool, secure, well-ventilated area out of direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilizers. Triple or (preferably) pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the empty containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Very dangerous, particularly the concentrate. Product and spray are poisonous if absorbed by skin contact, inhaled or swallowed. Attacks the eyes. Will irritate the nose, throat and skin. Repeated minor exposure may have accumulative poisoning effect. Avoid contact with eyes, skin and clothing. DO NOT inhale vapour or spray mist. Protect eyes while using. When opening the container and preparing spray, wear elbow-length

chemical resistant gloves and a face shield. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length chemical resistant gloves, impervious footwear and half-face piece respirator with combined dust and gas cartridge/canister. If clothing becomes contaminated with product or wet with spray, remove clothing immediately. If product or spray on skin, immediately wash area with soap and water. After use and before eating, drinking or spray on skin, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face-shield, respirator or face piece and contaminated clothing. Wash rubber respirator with detergent and warm water.

FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact Poisons Information Centre. Phone Australia: 13 11 26 or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

ADVICE TO DOCTOR: Methomyl is a reversible cholinesterase inhibitor. Atropine sulphate should be used for treatment, 1.2 to

2.0 mg i.v. every 10 to 30 minutes until full atropinisation is achieved. Maintain full atropinisation until patient recovers. DO NOT use morphine or 2-PAM. Artificial respiration or oxygen may be necessary. Allow no further exposure to cholinesterase inhibitors until recovery is assured.

SAFETY DATA SHEET


For further information refer to the Safety Data Sheet (SDS), which is available from the supplier.

CONDITIONS OF SALE

The use of Apparent Methomyl 225 Insecticide being beyond the control of the manufacturer no warranty expressed or implied is given by AIRR Apparent Pty Ltd regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and AIRR Apparent Pty Ltd accepts with no responsibility for any consequences whatsoever resulting from the use of this product.

Additional information required under the Globally Harmonised System (GHS) classification of the substance/mixture: **Highly flammable liquid and vapour. Causes damage to organs. Very toxic to aquatic life with long-lasting effects.** Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. In case of fire: Use alcohol resistant foam for extinction. Collect spillage.

IN A TRANSPORT EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE



UN No. 2758
CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S
HAZCHEM 3WE PG II

APVMA Approval No: 80047/146524
Batch No:
Date of Manufacture: