


CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Apparent



Snail & Slug Bait

ACTIVE CONSTITUENT: 15 g/kg METALDEHYDE

For the control of snails and slugs in agricultural and horticultural crops, vineyards and other agricultural, industrial and commercial situations where snails and slugs congregate.

IMPORTANT: Read the attached booklet before use.



PROUDLY



OWNED



The Choice is Apparent



NET CONTENTS

25

KILOGRAMS

AIRR APPARENT Pty Ltd

15/16 Princes Street, Newport NSW 2106 | P 03 5820 8400 | E enquiries@apparentag.com.au | www.apparentag.com.au

Apparent Snail & Slug Bait

DIRECTIONS FOR USE

Restraint: DO NOT heap pellets.

SITUATION	PEST	RATE	CRITICAL COMMENTS
Agricultural crops Cereals, oilseeds (including poppies) Horticultural crops Fruit (including grapevine, vegetables) Pulses, pasture establishment	Snails and Slugs including: Common White Snail, White Italian Snail, Conical Snail), Grey Field Slug, Brown Field Slug (excludes Small Brown Snails)	10kg/ha	Broadcast pellets evenly over the surface of the ground where snails and slugs are active. Brown field slug mortality may be delayed, requiring longer feeding times. Apparent Snail and Slug Bait is to be used only during the establishment stages of pulse crops and pastures. Broadcast pellets evenly over the crop area to be protected either prior to planting, post-plant pre-emergence or early post-emergence (prior to 4-leaf stage). Broadcast pellets evenly over the surface of the ground where snails and slugs are active.
Other agricultural, industrial and commercial situations where snails and slugs congregate Around crops and/or border areas where snails and slugs congregate	Snails, Slugs	50g/m ²	Scatter the pellets around the area to be protected and/or where slugs and snails congregate. Spread pellets evenly.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHOLDING PERIODS

HARVEST

FRUIT AND VEGETABLES: DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.

PULSES, OILSEEDS, WINTER CEREALS: NOT REQUIRED WHEN USED AS DIRECTED.

GRAZING

PASTURES, PULSES, OILSEEDS, WINTER CEREALS: DO NOT GRAZE OR CUT FOR STOCKFOOD FOR 5 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS

Scatter pellets using an appropriate applicator. Where attack is heavy it may be necessary to repeat the application. The best time to apply is immediately after rain or during humid overcast weather when slugs and snails are most active. The pellets eventually decompose leaving no harmful residue. Use regularly to control reinfestation.

TIMING

The best time to apply is immediately after rain, or during humid overcast weather when slugs and snails are most active. For broadacre crops, start when rain/moisture triggers snail activity in autumn and before significant egg laying.

PRECAUTIONS

Store in original container. Lock in a safe place preventing access of children, animals, poultry or ducks. Keep away from domestic pets. Keep away from dogs. Dogs find this bait attractive and it may kill them. If pets are poisoned, contact a veterinary surgeon.

DO NOT apply to edible plant parts. DO NOT graze or cut for stockfeed any crops while Apparent Snail & Slug Bait pellets are visible on the plant foliage.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area out of direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, poultry, seed and fertiliser. Shake and empty contents into applicator equipment. DO NOT dispose of unused product on-site. Break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not

available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Poisonous if swallowed. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766.

SAFETY DATA SHEET

Additional information is listed in the safety data sheet (SDS). A safety data sheet is available from AIRR Apparent Pty Ltd on request.

CONDITIONS OF SALE

AIRR Apparent Pty Ltd shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on AIRR Apparent's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of AIRR Apparent Pty Ltd has any authority to add to or alter these conditions.

**IN A TRANSPORT EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE**

APVMA Approval No: 94889/143954

Batch No:

Date of Manufacture:



Scan QR code to view booklet on mobile device