

SAFETY DATA SHEET

SECTION 1 IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: Apparent Picador 350 SC Insecticide

Other Names: Imidacloprid. Group 4A Insecticide.

Agricultural Insecticide for control of various insect pests. Use:

Company: AIRR Apparent Pty Ltd.

Address: 15/16 Princes Street, Newport NSW 2106.

Phone Number: 03 5820 8400

Email: enquiries@apparentag.com.au

0437 303 689 **Emergency Contact:**

SECTION 2

HAZARDS IDENTIFICATION

Classified as hazardous according to criteria of Safe Work Australia. Not classified as a Dangerous Good according to the ADG Code*.

* Not subjected to the ADG code when transported in Australia by Road or Rail in packages 500 kg (L) or less; or in IBC's (refer to SP AU01). However, if transported by Air or Sea, this provision does not apply. Then the product is classed as a Dangerous Good (Class 9 Environmentally Hazardous) by IATA and IMDG respectively. See Section 14 of this SDS for details.

Globally Harmonised System (GHS) classification of the substance/mixture:

Acute Toxicity- Dermal: Hazard Category 4.

Sensitization - Skin: Hazard Category 1, 1A, 1B.

Hazardous to the Aquatic Environment - Acute Hazard: Hazard Category 1.

Hazardous to the Aquatic Environment - Long-Term (Chronic) Hazard: Hazard Category 4.

Signal Word: WARNING.

Hazard Statements:

H302 Harmful if swallowed.

May cause an allergic skin reaction. H317

Very toxic to aquatic life. H400

May cause long lasting harmful effects to aquatic life. H413

Precautionary statements:

Prevention:

P261 Avoid breathing mist, vapours or spray.

P264 Wash hands, arms and face thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment. P273

Wear protective gloves/protective clothing/eye protection/face protection. P280

Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor if feel unwell.

IF ON SKIN: Wash with plenty of soap and water. P302 + P352

Specific treatment see Safety Directions on the product label. P321

P330 Rinse mouth.

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 P362 + P364 Take off contaminated clothing and wash it before reuse.

Collect spillage.

Issued November 2021 Page 1 of 6

Apparent Picador 350 SC Insecticide

SECTION 2 HAZARDS IDENTIFICATION (Continued)

Disposal:

P501 Dispose of contents/container in accordance with national regulations.

Pictograms:





SECTION 3

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

CHEMICALCAS NUMBERPROPORTIONImidacloprid138261-41-3350 g/LOther ingredients (including water) determined not to be hazardousto 100%

SECTION 4

FIRST AID MEASURES

FIRST AID

Ingestion: Rinse any residual product from mouth and lips. Give plenty of water to drink and seek

medical help. Do not induce vomiting. If poisoning occurs, contact a Doctor or Poisons

Information Centre. Phone 131 126.

Eye contact: Flush with running water until product is removed. Seek medical advice if irritation occurs

and persists.

Skin contact: Remove contaminated clothing. Wash thoroughly under running water using a mild soap.

Seek medical advice if irritation, reddening and/or other damage occurs. Launder

contaminated clothing before re-use.

Inhalation: Remove affected person to fresh air until recovered.

Advice to Doctor: The active ingredient has a nicotine like effect. Check blood pressure and pulse rate frequently, as bradycardia and hypotonia are possible. Provide supportive measures for respiratory function and cardiac action. Avoid absorption promoting agents such as alcoholic beverages and milk.

SECTION 5

FIRE FIGHTING MEASURES

Specific Hazard: Generally considered a low risk due to the water content, but once the water has evaporated the product is combustible.

Extinguishing media: Extinguish fire using media suited to burning material. If containers are ruptured contain all runoff.

Hazards from combustion products: Non-combustible, however after evaporation of water, the residual material can burn if ignited and when burning will emit toxic fumes. Will not polymerise.

Precautions for fire-fighters and special protective equipment: Isolate fire area. Evacuate downwind residents. Firefighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or smoke. Do not breathe smoke or vapours generated.

SECTION 6

ACCIDENTAL RELEASE MEASURES

Emergency procedures:

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. For major spills, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and a face shield. In the case of spillage, stop leak if safe to do so, and contain spill. Contain spill and sweep up and shovel or collect recoverable material into labelled containers for use, recycling or dispose as waste as indicated in Section 13.

Material and methods for containment and cleanup procedures: To decontaminate spill area, tools and equipment, wash with detergent and water and add the solution to the drums of wastes already collected and label contents. Keep out animals and unprotected persons.

AIRR Apparent Pty Ltd Page 2 of 6

SECTION 6

ACCIDENTAL RELEASE MEASURES

After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Thoroughly launder protective clothing before storage or re-use.

SECTION 7

HANDLING AND STORAGE

Precautions for Safe Handling: No smoking, eating or drinking should be allowed where material is used or stored. Harmful if swallowed. Repeated exposure may cause allergic disorders. Wash hands after use. When preparing product for use, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and a face shield. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

Conditions for Safe Storage: Store in the closed, original container in a well ventilated area away from children, animals, food, feedstuffs, seed and fertilisers. Do not store for prolonged periods in direct sunlight. This product is a Schedule 6 Poison (S6) and must be stored, transported and sold in accordance with the relevant Health Department regulations.

SECTION 8

EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

No exposure limits have been assigned by Safe Work Australia to the ingredients in this product.

Biological Limit Values:

No biological limit allocated.

Engineering controls:

Keep containers closed when not in use. No special engineering controls are required, however make sure that the work environment remains clean and that vapours are minimised.

Personal Protective Equipment (PPE):

General: When preparing product for use, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and a face shield. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

<u>Personal Hygiene</u>: Harmful if swallowed. Repeated exposure may cause allergic disorders. Wash hands after use. Clean water should be available for washing in case of eye or skin contamination. Wash skin before eating, drinking or smoking. Shower at the end of the workday.

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Red viscous liquid suspension.

Odour:

Boiling point:

Freezing point:

Specific Gravity:

Solubility in Water:

No data available.

No data available.

Approximately 1.1 g/mL.

Suspends in water.

pH: 5 - 9.

Flammability: Not flammable.
Corrosive hazard: Not corrosive.
Flashpoint (°C): Not flammable.

Poisons Schedule: This product is a Schedule 6 (S6) poison.

Formulation type: Suspension Concentrate (SC).

SECTION 10

STABILITY AND REACTIVITY

Chemical Stability: Product is considered stable in ambient conditions for a period of at least 2 years after manufacture.

Conditions to avoid: Do not store for prolonged periods in direct sunlight.

Incompatible materials: Incompatible with strong oxidizing agents.

AIRR Apparent Pty Ltd Page 3 of 6

SECTION 10 STABILITY AND REACTIVITY (Continued)

Hazardous decomposition products: Product is likely to decompose after heating to dryness and continued strong heating and will emit toxic fumes.

Hazardous reactions: Polymerisation will not occur.

SECTION 11

TOXICOLOGICAL INFORMATION

No specific data is available for this product as no toxicity tests have been conducted on this product. Information presented is our best judgement based on similar products and/or individual components. As with all products for which limited data is available, caution must be exercised through the use of protective equipment and handling procedures to minimise exposure.

Although no account of human poisoning was found in the literature, signs and symptoms of poisoning would be expected to be similar to nicotinic signs and symptoms, including fatigue, twitching, cramps, and muscle weakness including the muscles necessary for breathing.

Potential Health Effects:

ACUTE EFFECTS

Swallowed: Harmful if swallowed. Acute oral LD₅₀ (rat) 770 mg/kg (similar formulation).

Eye: May be irritating to eyes.

Skin: May be irritating to the skin. Acute Dermal LD_{50} (rat) = 1000 mg/kg (similar formulation).

Repeated exposure may cause allergic disorders.

Inhaled: Not expected to be harmful by inhalation.

Long Term Exposure:

Chronic toxicity:

Mutagenicity: Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Carcinogenicity: Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

Reproduction: Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

Developmental toxicity: Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

The results of periodic examinations of employees exposed to imidacloprid showed no adverse health effects. No epidemiological studies of the effects of imidacloprid and no information on symptoms of poisoning or clinical signs were available. A 4 year old child who ingested about 10 mg/kg bw of a veterinary preparation of imidacloprid showed no signs of poisoning or adverse health effects.

SECTION 12

ECOLOGICAL INFORMATION

Environmental Toxicology: No information is available for the product. The following information refers to the active ingredient, imidacloprid. Toxic to upland game birds (Bobwhite quail LD $_{50}$ 152 mg/kg). Moderately toxic to fish and aquatic species - rainbow trout LD $_{50}$ = 211 mg/L and golden orfe LD $_{50}$ = 237 mg/L. toxic to *Daphnia magna* LC $_{50}$ (48 hour) = 85 mg/L. Very toxic to aquatic invertebrates LC $_{50}$ harlequin fly (*Chironomus riparius*) a non-biting midge = 0.0552 mg/L (24 hr). Toxic to bees when used as a spray, but when used as a seed treatment it has been shown to be safe to bees. DO NOT contaminate streams, rivers or water courses.

Environmental Fate: No information is available for the product. The following information refers to the active ingredient, imidacloprid. Imidacloprid has medium absorption to soil with a half-life of 48-190 days. The hydrolysis half-life of imidacloprid can range from 33 - 44 days at pH 7 and 25°C. The aqueous photolysis half-life is less than 3 hours. Imidacloprid has a photolysis half-life of 39 days at the soil surface, with a range of 26.5 - 229 days when incorporated into the soil.

AIRR Apparent Pty Ltd Page 4 of 6

SECTION 12 ECOLOGICAL INFORMATION (Continued)

Persistence in soil allows for continual availability for uptake by plant roots. The combination of low Koc between 132 - 310 and high water solubility of 514 ppm suggests a potential to leach to ground water.

SECTION 13

DISPOSAL CONSIDERATIONS

Spills and Disposal: Persons involved in cleanup require adequate skin and eye protection - see Section 8. Keep material out of streams and sewers. Vacuum, shovel or pump waste into an approved drum. Dispose of drummed wastes, including decontamination solution in accordance with the requirements of Local or State Waste Management Authorities. In rural areas, if there is a need to dispose of the product, approach local authorities who hold periodic collections of unwanted chemicals (ChemClear®).

Disposal of empty containers: Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SECTION 14

TRANSPORT INFORMATION

Road & Rail Transport: This product is exempt from classification as a Dangerous Good in packs less than 500 kg (L) or less; or in IBC's under the Australian Code for the Transport of Dangerous Goods by Road and Rail. For bulk shipments this product is a class 9, UN 3082. (See special provision AU01).

Marine and Air Transport: Apparent Picador 350 SC Insecticide is classified as a Marine Pollutant according to International Maritime Dangerous Goods (IMDG) Code and the International Air Transport Association (IATA). If transporting by sea or air the following Dangerous Goods Classification applies:-UN 3082, Class 9 (Miscellaneous Dangerous Goods), Packing Group III, Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains Imidacloprid). Hazchem code ●3Z. Hazard Identification Number (HIN) 90. Australian Standards Initial Emergency Response Guide No. 47.

SECTION 15

REGULATORY INFORMATION

Under the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP), this product is a Schedule 6 poison.

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 69499.

This product is classified as a Hazardous Substance under the criteria of Safe Work Australia.

This product is not classified as a Dangerous Good according to the ADG Code for packages 500 kg (L) or less; or in IBC's (SP AU01) (7th Ed).

This product is classified as a Dangerous Good according to International Maritime Dangerous Goods (IMDG) Code and the International Air Transport Association (IATA).

Requirements concerning special training:

Check State or Territory regulations that require people who use pesticides in their job or business to have training in the application of the materials.

SECTION 16

OTHER INFORMATION

Issue Date: 18 November 2021. Valid for 5 years till 18 November 2026. (5 year update).

Key to abbreviations and acronyms used in this SDS:

ADG Code: Australian Dangerous Goods Code (for the transport of dangerous goods by Road and

Rail).

Bradycardia: Is a resting heart rate of under 60 beats per minute (adults). Carcinogen: An agent which is responsible for the formation of a cancer.

AIRR Apparent Pty Ltd Page 5 of 6

Apparent Picador 350 SC Insecticide

SECTION 16 OTHER INFORMATION (Continued)

Genotoxic: Capable of causing damage to genetic material, such as DNA.

HCIS: Hazardous Chemical Information System.

Hypotonia: Decreased muscle tone and strength that results in floppiness.

Lacrimation: The production, secretion, and shedding of tears.

Lavage: A general term referring to cleaning or rinsing.

Mutagen: An agent capable of producing a mutation.

NOHSC: National Occupational Health and Safety Commission.

OCS: Office of Chemical Safety.

Pneumonitis: A general term that refers to inflammation of lung tissue.

PPE: Personal protective equipment.

Teratogen: An agent capable of causing abnormalities in a developing foetus.

TWA: The Time Weighted Average airborne concentration over an eight-hour working day, for a

five day working week over an entire working life.

Safe Work Australia: Formally known as Australian Safety & Compensation Council (ASCC) which

was formally known as the National Occupational Health & Safety Commission

(NOHSC).

References

1. "Hazardous Chemicals Information System". Safe Work Australia HCIS website. (2021).

2. "Classifying Hazardous Substances" Safe Work Australia. August 2018.

3. Globally Harmonized System of Classification and Labelling of Chemicals (GHS). United Nations,

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

End SDS.

AIRR Apparent Pty Ltd Page 6 of 6