



Safety Data Sheet

according to WHS Regulations

Printing date 06.10.2021

Revision: 06.10.2021

1 Identification

Product Name: Apparent Diquat 200 Herbicide**Other Means of Identification:** Mixture**Other Name:** Diquat dibromide, Group L herbicide**APVMA Number:** 83557**Recommended Use of the Chemical and Restriction on Use:** Agricultural herbicide**Details of Manufacturer or Importer:**

AIRR Apparent Pty Ltd

15/16 Princes Street

Newport, NSW, 2106

Phone Number: 03 5820 8400**Emergency telephone number:** 0437 303 689**Email:** enquiries@apparentag.com.au

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Skull and crossbones

Acute Toxicity (Inhalation) 3 H331 Toxic if inhaled.



Health hazard

STOT RE 1

H372 Causes damage to organs through prolonged or repeated exposure.



Environment

Aquatic Chronic 2

H411 Toxic to aquatic life with long lasting effects.



Skin Corrosion/Irritation 2

H315 Causes skin irritation.

Eye Irrit. 2A

H319 Causes serious eye irritation.

Skin Sensitisation 1

H317 May cause an allergic skin reaction.

STOT SE 3

H335 May cause respiratory irritation.

Signal Word Danger**Hazard Statements**

H331 Toxic if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 06.10.2021

Revision: 06.10.2021

Product Name: Apparent Diquat 200 Herbicide

(Contd. of page 1)

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P311	Call a POISON CENTER/doctor.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P312	Call a POISON CENTER/doctor if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Hazardous Components:**

CAS: 85-00-7	Diquat dibromide	15-20%
	⚠ Acute Toxicity (Inhalation) 2, H330; ⚠ STOT RE 1, H372; ⚠ Aquatic Chronic 1, H410; ⚠ Acute Toxicity (Oral) 4, H302; Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2, H319; Skin Sensitisation 1, H317; STOT SE 3, H335	

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: Toxic if inhaled. May cause respiratory irritation, headaches, nose bleeding, shortness of breath, increased secretion of mucous and sore throat. May cause pulmonary oedema.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 06.10.2021

Revision: 06.10.2021

Product Name: Apparent Diquat 200 Herbicide

(Contd. of page 2)

Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Eye Contact: Causes serious eye irritation.

Ingestion: May be corrosive to the gastrointestinal tract, causing nausea, vomiting, diarrhoea, ulceration of the lips, throat and intestines, severe dehydration, changes in body fluid balances, kidney failure and liver damage.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Small fires: Water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Do not use a solid water stream as it may scatter and spread fire.

Large fires: Use alcohol-resistant foam. Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, nitrogen, oxides of nitrogen, various, unidentified nitrogen compounds, hydrogen cyanide, bromine compounds, smoke and water.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use fine water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: 2X

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots.

Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. If absorbent material is not available or spill is too large, create a dike to stop spill from spreading. Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from excessive heat and direct sunlight. Protect from physical damage. Check regularly for leaks or spills.

Avoid contact with metals e.g. aluminium, zinc, iron.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 06.10.2021

Revision: 06.10.2021

Product Name: Apparent Diquat 200 Herbicide

(Contd. of page 3)

8 Exposure Controls and Personal Protection

Exposure Standards:**CAS: 85-00-7 Diquat dibromide**

WES	TWA: 0.5 mg/m ³
	Sen

Engineering Controls:

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC or rubber elbow-length gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing including cotton overalls buttoned to the neck and wrist, washable hat (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Dark red to brown
Odour:	Non specific odour
Odour Threshold:	No information available
pH-Value (200 g/l) :	4 - 5
Melting point/freezing point:	approx. 0 °C
Initial Boiling Point/Boiling Range:	approx. 100 °C
Flash Point:	No information available
Flammability:	Product is not flammable
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Relative Density:	approx. 1.2
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Completely soluble
Partition Coefficient (n-octanol/water):	No information available

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 06.10.2021

Revision: 06.10.2021

Product Name: Apparent Diquat 200 Herbicide

(Contd. of page 4)

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Excessive heat and direct sunlight.

Incompatible Materials: Corrosive to metals e.g. aluminium, zinc, iron.

Hazardous Decomposition Products:

Oxides of carbon, nitrogen, oxides of nitrogen, various, unidentified nitrogen compounds, hydrogen cyanide, bromine compounds, smoke and water.

11 Toxicological Information

Toxicity:

LD50/LC50 Values Relevant for Classification:

CAS: 85-00-7 Diquat dibromide

Oral	LD50	550 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
		400-500 mg/kg (rabbit)
Inhalation	LC50/4 h	0.64 mg/l (rat)

Acute Health Effects

Inhalation:

Toxic if inhaled. May cause respiratory irritation, headaches, nose bleeding, shortness of breath, increased secretion of mucous and sore throat. May cause pulmonary oedema.

Skin: Causes skin irritation. May cause an allergic skin reaction.

Eye: Causes serious eye irritation.

Ingestion:

May be corrosive to the gastrointestinal tract, causing nausea, vomiting, diarrhoea, ulceration of the lips, throat and intestines, severe dehydration, changes in body fluid balances, kidney failure and liver damage.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause respiratory irritation.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Causes damage to organs through prolonged or repeated exposure.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects:

Prolonged exposure or delayed treatment may cause permanent eye damage. May cause loss of appetite, decreased growth, lung changes, skin inflammation, changes to fingernails and damage to the kidneys.

Existing Conditions Aggravated by Exposure: No data available.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 06.10.2021

Revision: 06.10.2021

Product Name: Apparent Diquat 200 Herbicide

(Contd. of page 5)

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for diquat for a human is 0.002 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 0.2 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2021).

12 Ecological Information

Ecotoxicity:

Non-toxic to bees.

Moderately toxic to birds.

Diquat dibromide:

LD50 200-400 mg/kg (hen)

LD50 564 mg/kg (mallard duck)

LC50/ 5 day dietary 1300 ppm (japanese quail)

Aquatic toxicity:

Toxic to aquatic life with long lasting effects.

CAS: 85-00-7 Diquat dibromide

IC50/96 h (static) 21 mg/l (rainbow trout)

EC50/48 h 5.9 mg/l (daphnia)

Persistence and Degradability:

Highly persistent, diquat half life in soil: >1000 days.

May accumulate in soil.

Bioaccumulative Potential: Bioaccumulation is not expected to occur.**Mobility in Soil:** If it enters soil, it will adsorb to soil particles and will not be mobile.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number

ADG, IMDG, IATA

UN3016

Proper Shipping Name

ADG

BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC (Diquat dibromide), ENVIRONMENTALLY HAZARDOUS
BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC (Diquat dibromide), MARINE POLLUTANT
BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC (Diquat dibromide)

IMDG

IATA

Dangerous Goods Class

ADG Class:

6.1 Toxic substances.

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Printing date 06.10.2021

Revision: 06.10.2021

Product Name: Apparent Diquat 200 Herbicide

(Contd. of page 6)

Subsidiary Risk:**Packing Group:****ADG, IMDG, IATA**

III

Marine pollutant:

Symbol (fish and tree)

EMS Number:

F-A,S-A

Hazchem Code:

2X

Special Provisions:

61, 223, 274

Limited Quantities:

5L

Packagings & IBCs - Packing Instruction:

P001, IBC03, LP01

Packagings & IBCs - Special Packing Provisions: None**Portable Tanks & Bulk Containers - Instructions:** T7**Portable Tanks & Bulk Containers - Special Provisions:**

TP2, TP28

15 Regulatory Information

Australian Inventory of Industrial Chemicals: All ingredients are listed.**Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:**

Poisons Schedule: 6

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 83557.

16 Other Information

Date of Preparation or Last Revision: 06.10.2021**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Acute Toxicity (Inhalation) 2: Acute toxicity – Category 2

Acute Toxicity (Inhalation) 3: Acute toxicity – Category 3

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious Eye Damage/Irritation 2: Serious eye damage/eye irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Printing date 06.10.2021

Revision: 06.10.2021

Product Name: Apparent Diquat 200 Herbicide

(Contd. of page 7)

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AIRR Apparent Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.