

according to WHS Regulations

Revision date: 15.02.2023

Page 1 of 6

Printing date 15.02.2023

1 Identification

Product Name: APPARENT COPPER HYDROXIDE 400 WG FUNGICIDE

Other Means of Identification: Mixture

APVMA Approval Number: 91128

Recommended Use of the Chemical and Restriction on Use: Agricultural fungicide

Details of Manufacturer or Importer:

AIRR Apparent Pty Ltd 15/16 Princes Street Newport, NSW, 2106

Phone Number: 03 5820 8400

Emergency telephone number: 0437 303 689

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition). Classified as Dangerous Goods when transported by Air or Sea. See section 14 of this document for more details.



Aquatic Acute 1H400 Very toxic to aquatic life.Aquatic Chronic 1H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed. Acute Toxicity (Inhalation) 4 H332 Harmful if inhaled.

Signal Word Warning

Hazard Statements

H302 Harmful if swallowed. H332 Harmful if inhaled. H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

- P330 Rinse mouth.
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P391 Collect spillage.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

according to WHS Regulations

Printing date 15.02.2023

Product Name: APPARENT COPPER HYDROXIDE 400 WG FUNGICIDE

(Contd. of page 1)

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Comp CAS: 20427-59-2	Copper(II) hydroxide	
	♦ Acute Toxicity (Inhalation) 2, H330; ♦ Eye Damage 1, H318; ♦ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); ↑ Acute Toxicity (Oral) 4, H302	
CAS: 371-47-1	Disodium maleate Acute Toxicity (Oral) 4, H302; Skin Sensitisation 1B, H317; STOT SE 3, H335	<1%

4 First Aid Measures

General Information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap for at least 15 minutes. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Seek medical attention if irritation occurs.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: Harmful if inhaled. May cause headaches, weakness and unconsciousness.

Skin Contact: No adverse health effects expected.

Eye Contact: May cause eye irritation.

Ingestion: Harmful if swallowed. May cause irritation and burns to the mouth and throat, nausea, diarrhoea and low blood pressure.

5 Fire Fighting Measures

Suitable Extinguishing Media: Dry chemical or carbon dioxide. Do not use full water jet.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of copper and water.

This product is not flammable, but may burn or decompose in a fire.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers. HAZCHEM Code: 2Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

according to WHS Regulations

Printing date 15.02.2023

Product Name: APPARENT COPPER HYDROXIDE 400 WG FUNGICIDE

(Contd. of page 2)

Revision date: 15.02.2023

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and granules into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Provide adequate ventilation. Do not wash spill with water.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from extreme temperatures and moisture. Keep between 0 °C and 40 °C. Keep away from acids and ammonium salts.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Where an inhalation risk exists, a Class P1 (particulate) respirator is recommended. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Chemical resistant gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:
Form:
Colour:
Odour:
Odour Threshold:
pH-Value at 20 °C:
Melting point/freezing point:
Initial Boiling Point/Boiling Range:
Flash Point:
Flammability:
Auto-ignition Temperature:
Decomposition Temperature:

Granulate No information available Odourless No information available 8 - 10 No information available No information available >61 °C Product is not flammable >600 °C 140 °C

(Contd. of page 3)

Revision date: 15.02.2023

Safety Data Sheet

according to WHS Regulations

Printing date 15.02.2023

Product Name: APPARENT COPPER HYDROXIDE 400 WG FUNGICIDE

Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Relative Density at 20 °C:	0.65 - 0.85
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Practically insoluble
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available
Solids content:	100.0 %

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Extreme temperatures and moisture.

Incompatible Materials: Acids and ammonium salts.

Hazardous Decomposition Products: Oxides of copper and water.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:				
TITAN COPPER HYDROXIDE 400 WDG				
Oral	LD50	>300-<2,000 mg/kg (Rattus norvegicus (rat))		
Dermal	LD50	>2,000 mg/kg (Rattus norvegicus (rat))		
Inhalation	LC50/4 h	>1.043 mg/l (Rattus norvegicus (rat))		

Acute Health Effects

Inhalation: Harmful if inhaled. May cause headaches, weakness and unconsciousness. **Skin:** No adverse health effects expected.

Eye: May cause eye irritation.

Ingestion:

Harmful if swallowed. May cause irritation and burns to the mouth and throat, nausea, diarrhoea and low blood pressure.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Based on classification principles, the classification criteria are not met. This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

according to WHS Regulations

Printing date 15.02.2023

Product Name: APPARENT COPPER HYDROXIDE 400 WG FUNGICIDE

(Contd. of page 4)

Revision date: 15.02.2023

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: May cause damage to the liver and kidneys.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information: No information available

12 Ecological Information

Ecotoxicity:

Aquatic toxicity: Very toxic to aquatic life with long lasting effects.

Persistence and Degradability: Product is not degradable.

Bioaccumulative Potential: Copper does not bioaccumulate.

Mobility in Soil: Copper is strongly adsorbed by soils. Mobility is negligible.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration: Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number ADG, IMDG, IATA	UN3077			
Proper Shipping Name ADG, IMDG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains copper hydroxide)			
Dangerous Goods Class ADG Class:	9			
Packing Group: ADG, IMDG, IATA	111			
Marine pollutant:	Yes			
EMS Number:	F-A,S-F			
Hazchem Code:	2Z			
Special Provisions:	274, 331, 335, 375, AU01			
Transport/Additional information:	Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01)			
Excepted quantities (EQ):	E1			
Limited Quantities:	5 kg			
Packagings & IBCs - Packing Instruction:	P002, IBC08, LP02			
Packagings & IBCs - Special Packing Provisions: PP12, B3				
Portable Tanks & Bulk Containers - Instructions: T1, BK2, BK3				

(Contd. on page 6)

according to WHS Regulations

TP33

Printing date 15.02.2023

Product Name: APPARENT COPPER HYDROXIDE 400 WG FUNGICIDE

Portable Tanks & Bulk Containers - Special Provisions:

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule: Poisons Schedule: 6

Australian Pesticides and Veterinary Medicines Authority:

This active ingredient is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 91128.

16 Other Information

Date of Preparation or Last Revision: 15.02.2023

Prepared by: MSDS.COM.AU Pty Ltd

Abbreviations and acronyms:

ADG: Australian Dangerous Goods IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IARC: International Agency for Research on Cancer STEL: Short Term Exposure Limit TWA: Time Weighted Average NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants) Acute Toxicity (Oral) 4: Acute toxicity - Category 4 Acute Toxicity (Inhalation) 2: Acute toxicity - Category 2 Eye Damage 1: Serious eye damage/eye irritation - Category 1 Skin Sensitisation 1B: Skin sensitisation, Hazard Category 1B STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AIRR Apparent Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

Revision date: 15.02.2023

(Contd. of page 5)

www.msds.com.au