

Safety Data Sheet according to WHS Regulations

Print date: 02.11.2023 Revision date: 02.11.2023

1 Identification

Product Name: Apparent Superhero 850 WG Herbicide

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

Details of Manufacturer or Importer:

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Corrosion

Eye Damage 1 H318 Causes serious eye damage.



Environment

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

Signal Word Danger

Hazard Statements

H318 Causes serious eye damage.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

(Contd. on page 2)

according to WHS Regulations

Print date: 02.11.2023 Revision date: 02.11.2023

Product Name: Apparent Superhero 850 WG Herbicide

(Contd. of page 1)

P310 Immediately call a POISON CENTER/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:				
Pyroxasulfone	85%			
♦ Carcinogenicity 2, H351; STOT RE 2, H373; ♦ Aquatic Chronic 1, H410				
Docusate sodium	3%			
♦ Eye Damage 1, H318; ♦ Skin Corrosion/Irritation 2, H315				
omponents:				
Diatomite	≤2.5%			
	Pyroxasulfone Carcinogenicity 2, H351; STOT RE 2, H373; Aquatic Chronic 1, H410 Docusate sodium Eye Damage 1, H318; Skin Corrosion/Irritation 2, H315 Components:			

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap, if available with polyethylene glycol 400, subsequently rinse with water. Seek medical attention if irritation

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation. Skin Contact: May cause skin irritation. Eye Contact: Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use water spray, foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, oxides of nitrogen, oxides of sulfur, hydrogen flouride and hydrogen cyanide.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: 2Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

according to WHS Regulations

Print date: 02.11.2023 Revision date: 02.11.2023

Product Name: Apparent Superhero 850 WG Herbicide

(Contd. of page 2)

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses. Inform respective authorities in case of seepage into water course or sewage system.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep out of reach of children. Keep away from food, drink and animal feedingstuffs. Keep away from strong acids and strong bases.

8 Exposure Controls and Personal Protection

Expo	Exposure Standards:			
CAS:	61790-53-2 Diatomite			
WES	TWA: 10 mg/m ³			
	inhalable dust			

Engineering Controls:

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

Respiratory Protection:

Where an inhalation risk exists, wear approved particulate respirator (filter type P). At high dust levels, wear a powered air purifying respirator (PAPR) with P3 filter or an air-line respirator or a full-face P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Elbow-length PVC or nitrile gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Granulate

(Contd. on page 4)

according to WHS Regulations

Print date: 02.11.2023 Revision date: 02.11.2023

Product Name: Apparent Superhero 850 WG Herbicide

(Contd. of page 3)

Colour: Light brown

Odour:

Odour Threshold:

PH-Value:

No information available
No information available
7-10 (1% in water)
No information available
No information available
No information available

Flash Point: Not applicable Flammability (solid, gas): Not flammable

Auto-ignition Temperature: No information available Decomposition Temperature: No information available

Explosion Limits:

Lower: Upper:No information available
No information available

Vapour Pressure at 25 °C: <0.01 hPa

Relative Density: No information available

Vapour Density:Not applicableEvaporation Rate:Not applicableSolubility in Water:Soluble

Partition Coefficient (n-octanol/water): log Pow 2.39 (pH 8.7) **Viscosity:** No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight, heat, sparks, open flames, hot surfaces and direct sunlight.

Incompatible Materials: Strong acids and strong bases.

Hazardous Decomposition Products:

Oxides of carbon, oxides of nitrogen, oxides of sulfur, hydrogen flouride and hydrogen cyanide.

11 Toxicological Information

Toxicity:

LD50/LC5	LD50/LC50 Values:				
CAS: 447	CAS: 447399-55-5 Pyroxasulfone				
Oral	LD50	>2,000 mg/kg (Rattus norvegicus (rat))			
Dermal	LD50	>2,000 mg/kg (Rattus norvegicus (rat))			
Inhalation	LC50/4 h	>6.56 mg/l (Rattus norvegicus (rat))			
CAS: 577	CAS: 577-11-7 Docusate sodium				
Oral	LD50	1,900 mg/kg (Rattus norvegicus (rat))			
	LD50	>10,000 mg/kg (Oryctolagus cuniculus (rabbit))			

Acute Health Effects

Inhalation: May cause respiratory irritation.

Skin: May cause skin irritation. **Eye:** Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

according to WHS Regulations

Print date: 02.11.2023 Revision date: 02.11.2023

Product Name: Apparent Superhero 850 WG Herbicide

(Contd. of page 4)

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Suspected of causing cancer.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for pyroxasulfone for a human is 0.02 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 2 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2023).

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

CAS: 4473	CAS: 447399-55-5 Pyroxasulfone			
LD50	D50 >2,250 mg/kg (Colinus virginianus (bobwhite quail))			
EC50/48 h	3 h >4.4 mg/l (Daphnia magna (water flea))			
EC50/96 h	EC50/96 h 0.00079 mg/l (Algae)			
LC50/96 h	>2.8 mg/l (Lepomis macrochirus (bluegill))			
	>2.2 mg/l (Oncorhynchus mykiss (rainbow trout))			
CAS: 577-11-7 Docusate sodium				
EC50/48 h	6.6 mg/l (Daphnia magna (water flea))			
EC50/96 h	>100 mg/l (Algae)			

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers:

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

according to WHS Regulations

Print date: 02.11.2023 Revision date: 02.11.2023

Product Name: Apparent Superhero 850 WG Herbicide

(Contd. of page 5)

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number

ADG, IMDG, IATA UN3077

Proper Shipping Name

ADG, IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Pyroxasulfone)

Dangerous Goods Class

ADG Class: 9

Packing Group:

ADG, IMDG, IATA

III

Marine pollutant:

EMS Number:

F-A,S-F

Hazchem Code:

2Z

Special Provisions: 274, 331, 335, 375, AU01

Transport/Additional information:Not subject to the ADG Code when transported by road

or rail in packagings that do not incorporate a receptacle

exceeding 500 kg(L) or IBCs. (refer to SP AU01)

Excepted quantities (EQ): E1
Limited Quantities: 5 kg

Packagings & IBCs - Packing Instruction: P002, IBC08, LP02

Packagings & IBCs - Special Packing Provisions: PP12, B3

Portable Tanks & Bulk Containers - Instructions: T1, BK2, BK3

Portable Tanks & Bulk Containers - Special

Provisions: TP33

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

16 Other Information

Date of Preparation or Last Revision: 02.11.2023

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

according to WHS Regulations

Print date: 02.11.2023 Revision date: 02.11.2023

Product Name: Apparent Superhero 850 WG Herbicide

(Contd. of page 6)

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Skin Corrosion/Irritation 2: Skin corrosion/irritation - Category 2 Eye Damage 1: Serious eye damage/eye irritation - Category 1

Carcinogenicity 2: Carcinogenicity - Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.