

according to WHS Regulations

Revision date: 30.10.2024

Page 1 of 8

Print date: 31.10.2024

## 1 Identification

## Product Name: APPARENT BROMOXYNIL + MCPA SELECTIVE HERBICIDE

Other Means of Identification: Mixture

APVMA Approval Number: 68401

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

## Details of Manufacturer or Importer:

AIRR Apparent Pty Ltd 15/16 Princes Street Newport, NSW, 2106

Phone Number: 03 5820 8400

Emergency telephone number: 0437 303 689

## 2 Hazard(s) Identification

### Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.

Health hazard		
Toxic To Reproduction 2 Aspiration Hazard 1		l Suspected of damaging the unborn child. May be fatal if swallowed and enters airways.
Corrosion		
Eye Damage 1	H318	Causes serious eye damage.
Environment		
Aquatic Chronic 1	H410	Very toxic to aquatic life with long lasting effects.
Acute Toxicity (Oral) 4	H302	Harmful if swallowed.
Acute Toxicity (Inhalation) 4		
Skin Corrosion/Irritation 2	H315	Causes skin irritation.
Skin Sensitisation 1	H317	May cause an allergic skin reaction.
Flammable Liquids 4	H227	Combustible liquid.
Aquatic Acute 2	H401	Toxic to aquatic life.
Signal Word Danger		(Contd. on page 2)

according to WHS Regulations

Print date: 31.10.2024

Revision date: 30.10.2024

## Product Name: APPARENT BROMOXYNIL + MCPA SELECTIVE HERBICIDE

(Contd. of page 1)

## **Hazard Statements**

- H227 Combustible liquid. H302 Harmful if swallowed.
- H332 Harmful if inhaled.
- H315 Causes skin irritation.H318 Causes serious eye damage.
- H317 May cause an allergic skin reaction.
- H361d Suspected of damaging the unborn child.
- H304 May be fatal if swallowed and enters airways.
- H401 Toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

## **Precautionary Statements**

Precautionary St	atements
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P321	Specific treatment (see on this label).
P331	Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338	B IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P330	Rinse mouth.
P362+P364	Take off contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P391	Collect spillage.
P403	Store in well-ventilated place.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

# **3** Composition and Information on Ingredients

### **Chemical Characterization: Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:			
CAS: 64742-94-5	Solvent naphtha (petroleum), heavy arom.	30-35%	
	🚸 Aspiration Hazard 1, H304		
CAS: 94-74-6	(4-Chloro-2-methylphenoxy)acetic acid	15-20%	
	<ul> <li>Eye Damage 1, H318;</li> <li>Aquatic Acute 1, H400; Aquatic Chronic 1, H410;</li> <li>Acute Toxicity (Oral) 4, H302; Skin Corrosion/Irritation 2, H315</li> </ul>		
CAS: 1689-99-2	Bromoxynil octanoate	15-20%	
	Acute Toxicity (Inhalation) 3, H331; Toxic To Reproduction 2, H361d; Aquatic Chronic 1, H410 (M=10); Acute Toxicity (Oral) 4, H302; Skin Sensitisation 1, H317		

according to WHS Regulations

Print date: 31.10.2024

Revision date: 30.10.2024

## Product Name: APPARENT BROMOXYNIL + MCPA SELECTIVE HERBICIDE

(Contd. of page 2)

## 4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

#### Skin Contact:

In case of skin contact, remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation persists.

#### Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

#### Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

#### Symptoms Caused by Exposure:

Inhalation: Harmful if inhaled. May cause respiratory irritation.

Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Eye Contact: Causes serious eye damage.

Ingestion: Harmful if swallowed. May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

### 5 Fire Fighting Measures

#### Suitable Extinguishing Media:

Use fine water spray. water fog, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Specific Hazards Arising from the Chemical:

Hazardous combustion products include hydrogen bromide, hydrogen chloride, hydrogen cyanide, compounds of bromine, compounds of chlorine and, compounds of nitrogen.

Product is combustible.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: •3Z

#### Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

## 6 Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved self-contained breathing apparatus and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe vapours or mists. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

#### **Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses. Inform respective authorities in case of seepage into water course or sewage system.

#### Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

## 7 Handling and Storage

### Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours or mists. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

according to WHS Regulations

Print date: 31.10.2024

Revision date: 30.10.2024

## Product Name: APPARENT BROMOXYNIL + MCPA SELECTIVE HERBICIDE

(Contd. of page 3)

### Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from direct sunlight, heat, sparks, open flames and other sources of ignition. Keep away from strong oxidising agents, strong acids, and strong bases.

## 8 Exposure Controls and Personal Protection

#### **Exposure Standards:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Natural ventilation should be adequate under normal use conditions.

Respiratory Protection: Respiratory protection is not required under normal use conditions.

#### Skin Protection:

Protective gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

### Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

## 9 Physical and Chemical Properties

Appearance:	
Form:	Liquid
Colour:	Dark brown
Odour:	Solvent
Odour Threshold:	No information available
pH-Value:	3.5-4.0 (1% solution)
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	78 °C
Flammability (solid, gas):	Not applicable
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Relative Density:	~1.1
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Forms an emulsion in water
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available

## 10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

according to WHS Regulations

Print date: 31.10.2024

Revision date: 30.10.2024

## Product Name: APPARENT BROMOXYNIL + MCPA SELECTIVE HERBICIDE

(Contd. of page 4)

Conditions to Avoid: Direct sunlight, heat, sparks, open flames and other sources of ignition.

**Incompatible Materials:** Strong oxidising agents, strong acids, and strong bases.

#### Hazardous Decomposition Products:

Hydrogen bromide, hydrogen chloride, hydrogen cyanide, compounds of bromine, compounds of chlorine and, compounds of nitrogen.

### 11 Toxicological Information

Toxicity:				
LD50/LC50 Values:				
CAS: 64742-94-5 Solvent naphtha (petroleum), heavy arom.				
Oral	LD50	5,000 mg/kg (Rattus norvegicus (rat))		
	LD50	2,000 mg/kg (Oryctolagus cuniculus (rabbit))		
CAS: 94-74-6 (4-Chloro-2-methylphenoxy)acetic acid				
Oral	LD50	962 mg/kg (Rattus norvegicus (rat))		
Dermal	LD50	4,000 mg/kg (Rattus norvegicus (rat))		
Inhalation	LC50/4 h	>6.36 mg/l (Rattus norvegicus (rat))		
CAS: 1689-99-2 Bromoxynil octanoate				
Oral	LD50	>141 mg/kg (Rattus norvegicus (rat))		
		260 mg/kg (Oryctolagus cuniculus (rabbit))		
Dermal	LD50	>2,000 mg/kg (Rattus norvegicus (rat))		
Inhalation	LC50/4 h	0.72-0.81 mg/l (Rattus norvegicus (rat))		

#### **Acute Health Effects**

Inhalation: Harmful if inhaled. May cause respiratory irritation.

Skin: Causes skin irritation. May cause an allergic skin reaction.

Eye: Causes serious eye damage.

#### Ingestion:

Harmful if swallowed. May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

#### Carcinogenicity:

Based on classification principles, the classification criteria are not met. Solvent naphtha (petroleum), heavy arom. is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Suspected of damaging the unborn child.

**Specific Target Organ Toxicity (STOT) - Single Exposure:** Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: May be fatal if swallowed and enters airways.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

according to WHS Regulations

Print date: 31.10.2024

Revision date: 30.10.2024

## Product Name: APPARENT BROMOXYNIL + MCPA SELECTIVE HERBICIDE

(Contd. of page 5)

### Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for bromoxynil octanoate for a human is 0.003 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 0.3 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. The ADI for 4-chloro-2-methylphenoxyacetic acid for a human is 0.01 mg/kg/day. This is based on the NOAEL of 1.1 mg/kg/day.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2024).

## 12 Ecological Information

CAS	: 94-74	I-6 (4-Chloro-2-methylphenoxy)acetic acid		
	LD50	377 mg/kg (Colinus virginianus (bobwhite quail))		
	LD50	104 μg/bee (Apis mellifera (honey bee))		
CAS: 1689-99-2 Bromoxynil octanoate				
Oral	LD50	2,350 mg/kg (Anas platyrhynchos (mallard duck))		
		170 mg/kg (Coturnix coturnix (common quail))		

Very toxic to aquatic life with long lasting effects.

CAS: 64742	2-94-5 Solvent naphtha (petroleum), heavy arom.			
EC50/48 h	12 mg/l (Daphnia magna (water flea))			
EC50/72 h	2.5 mg/l (Skeletonema costatum (diatom))			
LC50/96 h	C50/96 h 45 mg/l (Pimephales promelas (fathead minnow))			
CAS: 94-74-6 (4-Chloro-2-methylphenoxy)acetic acid				
LC50/96 h	>135 mg/l (Lepomis macrochirus (bluegill))			
	1.15 mg/l (Oncorhynchus mykiss (rainbow trout))			
LC50/48 h	>190 mg/l (Daphnia magna (water flea))			
	50-560 mg/l (Oncorhynchus mykiss (rainbow trout))			
CAS: 1689-99-2 Bromoxynil octanoate				
LC50	0.46 mg/l (Carassius auratus (goldfish))			
	0.05 mg/l (Oncorhynchus mykiss (rainbow trout))			

Persistence and Degradability: No data available on finished product.

**Bioaccumulative Potential:** No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

#### **Disposal Methods and Containers:**

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose according to applicable local and state government regulations.

## Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

#### 14 Transport Information

UN Number ADG, IMDG, IATA

according to WHS Regulations

Print date: 31.10.2024

Revision date: 30.10.2024

## Product Name: APPARENT BROMOXYNIL + MCPA SELECTIVE HERBICIDE

(Contd. of page 6)

Proper Shipping Name	
ADG, IMDG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bromoxynil, (4-Chloro-2-methylphenoxy)
	acetic acid), MARINE POLLUTANT
Dangerous Goods Class	_
ADG Class:	9
Packing Group: ADG, IMDG, IATA	
Marine pollutant:	Symbol (fish and tree)
EMS Number:	F-A,S-F
Hazchem Code:	•3Z
Special Provisions:	274, 331, 335, 375, AU01
Transport/Additional information:	Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01)
Excepted quantities (EQ):	E1
Limited Quantities:	5 L
Packagings & IBCs - Packing Instruction:	P001, IBC03, LP01
Packagings & IBCs - Special Packing Provisions:	PP1
Portable Tanks & Bulk Containers - Instructions:	Τ4
Portable Tanks & Bulk Containers - Special Provisions:	TP1, TP29
Degulatory Information	

## 15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule: Poisons Schedule: 7

www.msds.com.au

Australian Pesticides and Veterinary Medicines Authority: This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 68401.

## 16 Other Information

#### Date of Preparation or Last Revision: 30.10.2024

## Prepared by: MSDS.COM.AU Pty Ltd

Abbreviations and acronyms:

ADG: Australian Dangerous Goods IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IARC: International Agency for Research on Cancer STEL: Short Term Exposure Limit TWA: Time Weighted Average NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants) Flammable Liquids 4: Flammable liquids – Category 4 Acute Toxicity (Oral) 4: Acute toxicity - Category 4

according to WHS Regulations

Print date: 31.10.2024

Revision date: 30.10.2024

#### Product Name: APPARENT BROMOXYNIL + MCPA SELECTIVE HERBICIDE

(Contd. of page 7)

Acute Toxicity (Inhalation) 3: Acute toxicity – Category 3 Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2 Eye Damage 1: Serious eye damage/eye irritation – Category 1 Skin Sensitisation 1: Skin sensitisation, Hazard Category 1 Toxic To Reproduction 2: Reproductive toxicity – Category 2 Aspiration Hazard 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Acute 2: Hazardous to the aquatic environment, short-term (Acute). Category 2 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

#### Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AIRR Apparent Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.