

according to WHS Regulations

Revision date: 01.05.2024

Page 1 of 7

Print date: 09.05.2024

1 Identification

Product Name: Apparent Captan 900 WG Fungicide

Other Means of Identification: Mixture

APVMA Approval Number: 68838

Recommended Use of the Chemical and Restriction on Use: Agricultural fungicide

Details of Manufacturer or Importer:

Titan Ag Pty Ltd Princes Street Marina Suite 15/16 Princes Street Newport NSW 2106

Phone Number: 02 9999 6655

Emergency telephone number: 02 9999 6655

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.

Skull and crossbones

Acute Toxicity (Inhalation) 3 H331 Toxic if inhaled.

Health hazard

Germ Cell Mutagenicity 1BH340 May cause genetic defects.Carcinogenicity 2H351 Suspected of causing cancer.

Corrosion

Eye Damage 1

H318 Causes serious eye damage.

Environment

Aquatic Acute 1

H400 Very toxic to aquatic life.

H317 May cause an allergic skin reaction.

Skin Sensitisation 1 Signal Word Danger

(Contd. on page 2)

according to WHS Regulations

Print date: 09.05.2024

Revision date: 01.05.2024

Product Name: Apparent Captan 900 WG Fungicide

(Contd. of page 1)

Hazard Statements

H331 Toxic if inhaled.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

Precautionary Statements

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
	breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 133-06-2 Captan (ISO)

```
Captan (ISO)

Acute Toxicity (Inhalation) 3, H331; Cerm Cell Mutagenicity 1B, H340;

Carcinogenicity 2, H351; Eye Damage 1, H318; Aquatic Acute 1, H400 (M=10);

Acute Toxicity (Dermal) 4, H312; Skin Sensitisation 1, H317
```

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek immediate medical attention.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation occurs.

Eye Contact:

In case of eye contact, rinse with water for several minutes, including under eyelids. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

according to WHS Regulations

Print date: 09.05.2024

Revision date: 01.05.2024

Product Name: Apparent Captan 900 WG Fungicide

(Contd. of page 2)

Ingestion: If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek medical attention if feeling unwell.

Symptoms Caused by Exposure:

Inhalation: Toxic if inhaled. May cause respiratory irritation. Skin Contact: May cause skin irritation. May cause an allergic skin reaction Eye Contact: Causes serious eye damage. Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, oxides of nitrogen, hydrogen chloride, and thiophosgene.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: 2Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses. Inform respective authorities in case of seepage into water course or sewage system.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep granules into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Provide adequate ventilation. Decontaminate spill area with detergent and water.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area, below 30°C. Keep container tightly closed when not in use. Keep from direct sunlight. Keep away from strong oxidising agents and strong alkalis

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 133-06-2 Captan (ISO)

WES TWA: 0.5 mg/m³

Sk, Sen

(Contd. on page 4)

according to WHS Regulations

Print date: 09.05.2024

Revision date: 01.05.2024

Product Name: Apparent Captan 900 WG Fungicide

(Contd. of page 3)

Engineering Controls:

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

Respiratory Protection:

Where an inhalation risk exists, wear approved particulate respirator (filter type P). At high dust levels, wear a powered air purifying respirator (PAPR) with P3 filter or an air-line respirator or a full-face P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC or nitrile gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:	
Form:	Granulate
Colour:	Grey brown
Odour:	Faint characteristic
Odour Threshold:	No information available
pH-Value:	Not applicable
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	Not applicable
Flammability (solid, gas):	No information available
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	Not applicable
Density:	No information available
Vapour Density:	Not applicable
Evaporation Rate:	Not applicable
Solubility in Water:	Dispersible
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Temperatures above 30°C. Direct sunlight.

Incompatible Materials: Strong oxidising agents and strong alkalis

Hazardous Decomposition Products:

Oxides of carbon, oxides of nitrogen, hydrogen chloride, and thiophosgene.

according to WHS Regulations

Print date: 09.05.2024

Product Name: Apparent Captan 900 WG Fungicide

(Contd. of page 4)

Revision date: 01.05.2024

11 Toxicological Information

Toxicity:

LD50/LC50 Values:

CAS: 133-06-2 Captan (ISO)				
Oral	LD50	>2,000 mg/kg (Rattus norvegicus (rat))		
Dermal	LD50	2,000 mg/kg (Rattus norvegicus (rat))		
Inhalation	LC50	0.668 mg/l (Rattus norvegicus (rat))		

Acute Health Effects

Inhalation: Toxic if inhaled. May cause respiratory irritation.
Skin: May cause skin irritation. May cause an allergic skin reaction.
Eye: Causes serious eye damage.
Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: May cause genetic defects.

Carcinogenicity:

Suspected of causing cancer.

Captan is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for captan for a human is 0.1 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 10 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2023).

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

Very toxic to aquatic life.

CAS: 133-06-2 Captan (ISO)

LC50/96 h 0.072 mg/l (Lepomis macrochirus (bluegill))

0.034 mg/l (trout)

LC50/48 h 7-10 mg/l (Daphnia magna (water flea))

Persistence and Degradability: No data available on finished product.

according to WHS Regulations

Print date: 09.05.2024

Product Name: Apparent Captan 900 WG Fungicide

Revision date: 01.05.2024

(Contd. of page 5)

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers:

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN3077
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Captan (ISO)), MARINE POLLUTANT
9
III
Symbol (fish and tree)
F-A,S-F
2Z
274, 331, 335, 375, AU01
Not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs. (refer to SP AU01)
E1
5 kg
P002, IBC08, LP02
: PP12, B3
T1, BK2, BK3
TP33

Australian Inventory of Industrial Chemicals: All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule: Poisons Schedule: 6

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA approval number 68838.

according to WHS Regulations

www.msds.com.au

Print date: 09.05.2024

Revision date: 01.05.2024

Product Name: Apparent Captan 900 WG Fungicide

16 Other Information

(Contd. of page 6)

Date of Preparation or Last Revision: 01.05.2024

Prepared by: MSDS.COM.AU Pty Ltd

Abbreviations and acronyms:

ADG: Australian Dangerous Goods IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IARC: International Agency for Research on Cancer STEL: Short Term Exposure Limit TWA: Time Weighted Average NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants) Acute Toxicity (Dermal) 4: Acute toxicity - Category 4 Acute Toxicity (Inhalation) 3: Acute toxicity - Category 3 Eye Damage 1: Serious eye damage/eye irritation - Category 1 Skin Sensitisation 1: Skin sensitisation, Hazard Category 1 Germ Cell Mutagenicity 1B: Germ cell mutagenicity - Category 1B Carcinogenicity 2: Carcinogenicity - Category 2 Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Titan Ag Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.