

SAFETY DATA SHEET

SECTION 1

IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: Apparent Shout 720 Fungicide

Other Names: Chlorothalonil. Group M5 Fungicide. Chloronitrile chemical family.

Use: Agricultural fungicide for the control of certain diseases in crops.

Company: AIRR Apparent Pty Ltd

Address: 15/16 Princes Street, Newport NSW 2106

Phone Number: 03 5820 8400

Email: enquiries@apparentag.com.au

Emergency Contact: 0437 303 689

SECTION 2

HAZARDS IDENTIFICATION

Classified as hazardous according to criteria of Safe Work Australia. Not classified as a Dangerous Good according to the ADG Code.

GHS Classification:

Acute Toxicity – Inhalation: Category 2. Eye Damage/Irritation: Category 1. Sensitization – Skin: Category 1, 1A, 1B.

Specific Target Organ Toxicity (Single Exposure): Category 3.

Carcinogenicity: Category 2.

Hazardous to the Aquatic Environment – Long-Term Hazard: Category 1.

Signal Word: DANGER.

Hazard Statements:

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.H351 Suspected of causing cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mists, vapours or spray.

P271 Use only outdoors or in a well ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 Use personal protective equipment as required.

P284 Wear respiratory protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Issued November 2021 Page 1 of 6

Apparent Shout 720 Fungicide

SECTION 2 HAZARDS IDENTIFICATION (Continued)

Response (Cont):

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P321 Specific treatment: see Safety Directions on the product label.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

Storage and Disposal:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with national regulations.

Pictograms:











Issued: November 2021

SECTION 3

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

CHEMICALCAS NUMBERPROPORTIONChlorothalonil1897-45-6720 g/LOther ingredients (including water) determined not to be hazardousBalance

SECTION 4

FIRST AID MEASURES

FIRST AID

Ingestion: If swallowed do NOT induce vomiting. If poisoning occurs, contact a Doctor or Poisons

Information Centre. Phone 131 126. If swallowed, do not induce vomiting. Rinse any residual product from mouth and lips. Give water to drink and seek medical help. Do not give anything by mouth to a semi-conscious or unconscious person. If vomiting occurs,

give more water to drink to assist dilution.

Eye contact: Immediately hold eyes open and flood with clean water until chemical is removed. Ensure

irrigation under eyelids by occasionally lifting them. Do not try to remove contact lenses

unless trained. If irritation occurs and persists, see a doctor.

Skin contact: If on skin wash with soap and water. If irritation occurs and persists, see a doctor.

Remove contaminated clothing and launder before re-use.

Inhalation: Remove to fresh air and observe until recovered. If effects persist, seek medical advice.

Advice to Doctor: No specific antidote. Treat symptomatically.

SECTION 5

FIRE FIGHTING MEASURES

Specific Hazard: Considered low risk due to water content, however upon evaporation of water the product is combustible. Low risk of explosion if involved in a fire.

Extinguishing media: Extinguish fire using media suited to burning material. If containers are ruptured contain all runoff. Preferred extinguishing media: alcohol resistant foam, CO₂ or dry chemical. Soft stream water fog if no alternatives. DO NOT use water jet. Contain all runoff.

Hazards from combustion products: When heated to dryness, this product contains combustible organic components that may burn and decompose during a fire producing dense black smoke containing hazardous products of combustion that can be both toxic and irritating.

Precautions for fire-fighters and special protective equipment: Isolate fire area. Evacuate downwind residents. Wear full protective clothing and self contained breathing apparatus. Do not breathe smoke or vapours generated. Evacuate personnel to a safe area.

AIRR Apparent Pty Ltd Page 2 of 6

SECTION 6

ACCIDENTAL RELEASE MEASURES

Issued: November 2021

Emergency procedures: Wear cotton overalls buttoned to the neck and wrist, washable hat, elbowlength PVC gloves and goggles and disposable mist mask covering mouth and nose. In the case of spillage, stop leak if safe to do so, and contain spill. Contain and absorb spilled material with absorbent material such as sand, clay, cat litter or material such as vermiculite. Collect recoverable product for use as labelled on the product. Vacuum, shovel or pump contaminated spilled material into an approved container and dispose of waste as per the requirements of Local or State Waste Management Authorities. Keep out animals and unprotected persons.

Material and methods for containment and cleanup procedures: To clean spill area, tools and equipment, wash with a solution of soap, water and acetic acid/vinegar. Follow this with a neutralisation step of washing the area with a bleach or caustic soda ash solution. Finally, wash with a strong soap and water solution. Absorb, as above, any excess liquid and add both solutions to the drums of waste already collected.

Do NOT allow spilled product or wash solution to enter sewers, drains, dams, creeks or any other waterways.

SECTION 7

HANDLING AND STORAGE

Precautions for Safe Handling: Ensure containers are kept closed until using product. Attacks eyes and skin. Avoid contact with eyes and skin. DO NOT inhale spray mist. Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. When preparing spray and using prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and goggles and disposable mist mask covering mouth and nose. If clothing becomes contaminated with product or wet with spray remove clothing immediately. If product on skin immediately wash area with soap and water. If product in eyes, wash out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, goggles and contaminated clothing.

Conditions for Safe Storage: Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seeds and fertilisers. Ideally, the product should be stored below 30°C. This product is a Schedule 6 Poison (S6) and must be stored, transported and sold in accordance with the relevant Health Department regulations. Not classified as a Dangerous Good.

SECTION 8

EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Exposure guidelines have not been established for this product by Safe Work Australia, however the manufacturer recommends the following guideline for chlorothalonil.

Atmospheric Contaminant	Exposure Standard (TWA)	STEL (mg/m³)
chlorothalonil	0.1 mg/m³	-

TWA = Time-weight Average STEL = Short term Exposure Limit

Biological Limit Values:

No biological limit allocated.

Engineering controls:

Use in well ventilated area only. Use local exhaust at all process locations where spray may be emitted. Ventilate all transport vehicles prior to unloading. Keep containers closed when not in use

Personal Protective Equipment (PPE):

General: When preparing spray and using prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and goggles and disposable mist mask covering mouth and nose. If clothing becomes contaminated with product or wet with spray remove clothing immediately. If product on skin immediately wash area with soap and water. If product in eyes, wash out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, goggles and contaminated clothing.

AIRR Apparent Pty Ltd Page 3 of 6

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION (Continued)

<u>Personal Hygiene</u>: Attacks eyes and skin. Avoid contact with eyes and skin. DO NOT inhale spray mist. Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. Clean water should be available for washing in case of eye or skin contamination. Wash skin before eating, drinking or smoking. Shower at the end of the workday.

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

Issued: November 2021

Appearance: Smooth creamy light grey liquid suspension.

Odour: Slightly pungent odour.

Boiling point: No data available.

Freezing point: No data available.

Specific Gravity: Approximately 1.3 g/mL.

Solubility in Water: Product suspends in water.

pH: No data available.
 Flammability: No data available.
 Corrosive hazard: Not corrosive.
 Flashpoint (°C): Not flammable.

Poisons Schedule: This product is a schedule 6 (S6) poison.

Formulation Type: Suspension Concentrate (SC).

SECTION 10

STABILITY AND REACTIVITY

Chemical Stability: Product is considered stable in ambient conditions for a period of at least 2 years after manufacture.

Conditions to avoid: Do not store for prolonged periods in direct sunlight.

Incompatible materials: Incompatible with strong acids, bases and oxidizing agents.

Hazardous decomposition products: Product is only likely to decompose after heating to dryness, following by continuing heat. This product contains combustible organic components that may burn and decompose during a fire producing dense black smoke containing hazardous products of combustion that can be both toxic and irritating Do not store for prolonged periods in direct sunlight. Avoid oxidizing materials.

Hazardous reactions: Will not polymerise.

SECTION 11

TOXICOLOGICAL INFORMATION

No specific data is available for this product as no toxicity tests have been conducted on this product. Information presented is our best judgement based on similar products and/or individual components. As with all products for which limited data is available, caution must be exercised through the use of protective equipment and handling procedures to minimise exposure.

Potential Health Effects:

ACUTE EFFECTS

Swallowed: The acute oral toxicity LD₅₀ (rat) > 5000 mg/kg. Ingestion may cause irritation to the mouth,

throat and stomach. Possible symptoms include nausea, vomiting and central nervous

system depression.

Eye: Can be severely irritating to the eyes. Can cause eye damage unless immediately washed

out of the eyes.

Skin: The acute dermal toxicity LD_{50} (rabbit) > 4000 mg/kg. Avoid skin contact. May cause skin

irritation. May cause skin sensitisation.

Inhaled: This product is toxic if inhaled. Acute inhalation $LC_{50} = 0.6$ mg/L/4 hour. May irritate the

respiratory tract. Breathing in high concentrations of this material may cause headache,

nausea, dizziness and weakness.

AIRR Apparent Pty Ltd Page 4 of 6

SECTION 11 TOXICOLOGICAL INFORMATION (Continued)

Long Term Exposure:

Chronic toxicity: Extensive testing of chlorothalonil has found no evidence of mutagenic, neurotoxic, teratogenic or reproductive effects. Subchronic toxicity studies in dogs have shown kidney toxicity, and chronic toxicity studies in rats and mice have shown kidney and forestomach tumours at high doses. This is not considered to be a risk to humans when handled and used as directed on the label.

Chlorothalonil is rapidly excreted, primarily unchanged, from the body. It is not stored in animal tissues.

Safe Work Australia has classified chlorothalonil in the occupational environment as a Carcinogen Category 3 substance. This means that the substance is not classifiable as to carcinogenicity to humans.

SECTION 12

ECOLOGICAL INFORMATION

Issued: November 2021

Environmental Toxicology: Chlorothalonil is highly toxic to fish and aquatic organisms. Toxicity to fish: Rainbow trout LC₅₀ (96 hr) 0.043 mg/L; Bluegill sunfish LC₅₀ (96 hr) 0.059 mg/L. Toxic to Algae: Selanastrum capricornutum EC₅₀ (120 hr) 210 μ g/L. Toxic to aquatic invertebrates: Daphnia magna EC₅₀ (48 hr) 0.07 mg/L. Low toxicity to bees. Low toxicity to birds Mallard duck LD₅₀ > 4640 mg/kg.

Environmental Fate: Chlorothalonil has low mobility in soil. Chlorothalonil is moderately persistent. In aerobic soils, the half-life is from 1 to 3 months. Increased soil moisture or temperature increases chlorothalonil degradation. It is not degraded by sunlight on the soil surface. In water the half life is 4.5 hours to 9 days. Chlorothalonil does not store in fatty tissues and is rapidly excreted from the body. Its bioaccumulation factor is quite low.

SECTION 13

DISPOSAL CONSIDERATIONS

Spills and Disposal: Keep out animals and unprotected persons. Keep material out of streams and sewers. Dispose of drummed wastes, including decontamination solution, in accordance with the requirements of Local or State Waste Management Authorities. On site disposal of the concentrated product is not acceptable. Ideally the product should be used for its intended purpose. If there is a need to dispose of the product, approach local authorities who hold periodic collections of unwanted chemicals (ChemClear®).

Very dangerous to Aquatic Organisms: Do NOT allow spilled product or wash solution to enter sewers, drains, dams, creeks or any other waterways.

Disposal of empty containers: Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SECTION 14

TRANSPORT INFORMATION

Road & Rail Transport: is not classified as a Dangerous Goods under the Australian Code for the Transport of Dangerous Goods by Road and Rail in containers less than 3000 kilograms. (See special provision AU01). Bulk shipments should use UN 3077, as per below.

Marine and Air Transport: Apparent Shout 720 Fungicide is a Marine Pollutant according to International Maritime Dangerous Goods (IMDG) Code and the International Air Transport Association (IATA). If transporting by sea or air the following Dangerous Goods Classification applies:-

UN 3082, Class 9 (Miscellaneous Dangerous Goods), Packing Group III, Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains 72% Chlorothalonil). Hazchem code ●3Z. Hazard Identification Number (HIN) 90. Australian Standards Initial Emergency Response Guide No. 47.

AIRR Apparent Pty Ltd Page 5 of 6

SECTION 15

REGULATORY INFORMATION

Issued: November 2021

Under the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP), this product is a Schedule 6 poison.

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 81801.

This product is classified as a Hazardous Substance under the criteria of Safe Work Australia. T: Toxic, Xi: Irritant.

This product is not classified as a Dangerous Good according to the ADG Code for packs less than 3000 litres (SP AU01) (7th Ed).

This product is classified as a Dangerous Good according to International Maritime Dangerous Goods (IMDG) Code and the International Air Transport Association (IATA).

Requirements concerning special training:

Check State or Territory regulations that require people who use pesticides in their job or business to have training in the application of the materials.

SECTION 16

OTHER INFORMATION

Issue Date: 8 November 2021. Valid for 5 years till 28 November 2026. (First issue).

Key to abbreviations and acronyms used in this SDS:

ADG Code: Australian Dangerous Goods Code (for the transport of dangerous goods by Road and

Rail).

Ataxia: Inability to control the coordinate movements of the muscles.

Carcinogen: An agent which is responsible for the formation of a cancer.

Capable of causing damage to genetic material, such as DNA.

Mutagenic: Capable of inducing a genetic mutation in an organism.

LD₅₀: Median Lethal Dose A statistically derived single dose of a substance that can be expected

to cause death in 50% of dosed animals.

OCS: Office of Chemical Safety.
PPE: Personal protective equipment.

Teratogen: An agent capable of causing abnormalities in a developing foetus.

TWA: The Time Weighted Average airborne concentration over an eight-hour working day, for a

five day working week over an entire working life.

Safe Work Australia: Formally known as Australian Safety & Compensation Council (ASCC) which was

formally known as the National Occupational Health & Safety Commission

(NOHSC).

References:

1. "Search Hazardous Substances". Safe Work Australia HSIS website. (2016).

- "Approved Criteria for Classifying Hazardous Substances" 3rd Ed. NOHSC Australia. [NOHSC:1008 (2004)]. October 2004.
- 3. Globally Harmonized System of Classification and Labelling of Chemicals (GHS). United Nations, 2009.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

End SDS

AIRR Apparent Pty Ltd Page 6 of 6